



SPAX

C4 -SCREWS

BROCHURE



**MADE IN
GERMANY**



SPAX C4-SCREWS

DURABLE AND WEATHER-RESISTANT

The new WIROX C4 coating offers very high corrosion protection and has a significantly higher surface hardness. Compared to our high-quality WIROX coating, WIROX C4 offers 60% more coating thickness and at least 1,500 hours in the salt spray test. This means that SPAX screws with WIROX C4 coating can be used in harsh outdoor areas in accordance with corrosivity category C4, EN ISO 12944-2, based on an expected service life of 15 years.


Achieves the highest corrosion class 5 for locks and fittings in accordance with EN 1670 and can therefore be used in exceptionally harsh conditions where long-term protection is required.



PRODUCT ADVANTAGES

- ✳ Suitable for outdoor use (utilisation class 2) according to EN 1995-1-1
- ✳ Offers 60% more coating thickness compared to Wirox and at least 1,500 hours in the salt spray test for optimum corrosion protection
- ✳ Highest corrosion class 5 according to EN 1670 for locks and fittings

Weatherproof corrosion protection



Universal screw, flat countersunk head,

T-STAR *plus*, partial thread

4CUT, MULTI-Head

Case-hardened, slide-coated


C4 Zink 16 µm Class 2*

WIROX
P5J

Dimensions [mm]				Packaging units			SPAX No.	EAN code 4003530...
Thread- Ø d1	Length total Ls	Length partial thread LgT	Bit size T	SPAX Box [pieces]	Master carton [pieces]	Pallet qty		
Craft Package								
4.0 Ø d _k = 8.0 mm	30	18	20	200	2,000	224,000	0191720400303	279454
	40	23	20	200	2,000	126,000	0191720400403	279461
	50	32	20	200	2,000	126,000	0191720400503	279478
Craft Package								
4.5 Ø d _k = 8.8 mm	40	25	20	200	2,000	126,000	0191720450403	279485
	50	32	20	200	2,000	64,000	0191720450503	279492
	60	37	20	100	1,000	63,000	0191720450603	279508
	70	42	20	100	1,000	32,000	0191720450703	279515
Craft Package								
5.0 Ø d _k = 9.7 mm	40	27	20	200	2,000	126,000	0191720500403	279522
	50	32	20	200	2,000	64,000	0191720500503	279539
	60	37	20	100	1,000	63,000	0191720500603	279546
	70	41	20	100	1,000	32,000	0191720500703	279553
	80	46	20	100	1,000	32,000	0191720500803	279560
	90	44	20	100	1,000	32,000	21917205009051	295430
	90	61	20	100	1,000	32,000	0191720500903	279577
	100	61	20	100	1,000	32,000	0191720501003	279584
	120	69	20	200	2,000	2,000	0191720501205	279591
Plastic Tubs								
5.0 Ø d _k = 9.7 mm	70	41	20	700	-	58,800 / 84 tubs	4191720500709	291449
	80	46	20	600	-	50,400 / 84 tubs	4191720500809	291456
	90	61	20	500	-	42,000 / 84 tubs	4191720500909	291463
	100	61	20	450	-	37,800 / 84 tubs	4191720501009	291470
	120	69	20	350	-	29,400 / 84 tubs	4191720501209	291487

NEW

* EN 1995-1-1



**MADE IN
GERMANY**

Weatherproof corrosion protection




Universal screw, flat countersunk head,

T-STAR *plus*, partial thread

4CUT, MULTI-Head

Case-hardened, slide-coated



C4 Zink 16 µm Class 2*


WIROX
P5J

Dimensions [mm]				Packaging units			SPAX No.	EAN code 4003530...
Thread- Ø	Length total	Length partial thread	Bit size	SPAX Box [pieces]	Master carton [pieces]	Pallet qty		
d1	Ls	LgT	T					
Craft Package								
6.0 Ø d _k = 15.4 mm	60	37	30	100	1,000	32,000	0191720600603	279607
	70	41	30	100	1,000	32,000	0191720600703	279614
	80	46	30	100	1,000	32,000	0191720600803	279621
	90	43	30	100	1,000	32,000	21917206009051	295447
	90	61	30	100	1,000	32,000	0191720600903	279638
	100	61	30	100	1,000	32,000	0191720601005	279645
	120	68	30	100	1,000	28,000	0191720601205	279652
	140	68	30	100	1,000	28,000	0191720601405	279669
	150	68	30	100	1,000	28,000	0191720601505	292040
	160	65	30	100	1,000	28,000	0191720601605	292057
	180	65	30	100	1,000	28,000	0191720601805	292064
	200	65	30	100	1,000	24,000	0191720602005	292071
	220	65	30	100	1,000	24,000	0191720602205	292088
	240	65	30	100	1,000	24,000	0191720602405	292095
	260	65	30	100	-	9,600	0191720602605	292101
	280	65	30	100	-	9,600	0191720602805	292118
	300	65	30	100	-	9,600	0191720603005	292125
Standard Package								
6.0 Ø d _k = 15.4 mm	80	46	30	400	-	33,600 / 84 tubs	4191720600809	291494
	90	61	30	350	-	29,400 / 84 tubs	4191720600909	291500
	100	61	30	350	-	29,400 / 84 tubs	4191720601009	291517
	120	68	30	275	-	23,100 / 84 tubs	4191720601209	291524

NEW

* EN 1995-1-1

Weatherproof corrosion protection



Timber construction screw, washer head,
T-STAR *plus*, partial/full thread


4CUT

Case-hardened, slide-coated

C4 Zink 16 μm Class 2* **WIROX P5J**

Dimensions [mm]				Packaging units			SPAX No.	EAN code 4003530...
Thread- Ø	Length total	Length thread	Bit size	SPAX Box [pieces]	Master carton [pieces]	Pallet qty		
d1	Ls	Lg	T					
Craft Package								
8.0 Ø dk = 20 mm	50	46	40	50	500	16,000	0251720800505	279676
	80	70	40	50	500	14,000	0251720800805	279683
	100	80	40	50	500	14,000	0251720801005	279690
	120	80	40	50	500	14,000	0251720801205	279706
	140**	80	40	50	500	14,000	0251720801405	279713

* EN 1995-1-1 ** partial thread



**MADE IN
GERMANY**


Weatherproof corrosion protection



Decking screw, cylindrical head,
T-STAR *plus*, fixing thread

4CUT, plus Bit

Slide-coated



C4 Zink 16 µm Class 2*

WIROX
P5J



Thread- Ø	Dimensions [mm]			SPAX Box [pieces]	Packaging units		SPAX No.	EAN code 4003530...
	Length total	Length thread	Bit size		Master carton [pieces]	Pallet qty		
d1	Ls	Lg	T					
Craft Package								
4.5 Ø dk = 6.0 mm	50	22	T20	500	5,000	140,000	0531720450505	192920
	60	27	T20	500	5,000	140,000	0531720450605	178719
	70	32	T20	500	2,500	140,000	0531720450705	192944
	80	32	T20	200	2,000	64,000	0531720450805	192951

* EN 1995-1-1

SPAX - WE CARE

WITH SPAX, EVERYTHING LASTS LONGER.
EVEN OUR PLANET.

We know that we bear responsibility for every step we take – for people and our environment. Each individual contributes to climate change and can help shape it. Especially as a company, we play an important role – and have recognized: We can make a difference!

We give sustainability the priority we deserve and constantly question our actions – as a contribution to the preservation of our planet, as a signal to our employees and as a promise to our customers.



As a matter of principle, we want to avoid the consumption of – especially fossil fuels – or at least reduce it in a first step. That is why we are working towards the following goals:



Products



No waste



Thrift



Protecting the
environment



Processes



Resources

SPAX International GmbH & Co. KG
ALTENLOH, BRINCK & CO - GROUP SINCE 1823

Kölner Straße 71-77 · 58256 Ennepetal · Germany
Tel.: +49-23 33-799-1967 · Fax: +49-23 33-799-199
info@SPAX.com · www.SPAX.com

YOU CAN ALSO FIND US AT:

 facebook.com/SPAX
 instagram.com/SPAX_international
 youtube.com/user/SPAXinternational
 linkedin.com/company/spax-international



SPAX Print-No. 6362 | 05-2025 | Änderungen vorbehalten | Bildnachweise: Altenloh, Brinck & Co, stock.adobe.com, gettyimages



© Sergey Nivens_adobestock

SPAX
WE CARE 

